

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S49	12	S48 and (sav\$4 stor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 10:58
S48	13	(US-20050132031-\$ or US-20080235372-\$ or US-20050289065-\$ or US-20050283445-\$ or US-20040199793-\$ or US-20030172064-\$).did. or (US-7426738-\$ or US-7315826-\$ or US-7024431-\$ or US-7292537-\$ or US-7076547-\$ or US-7222190-\$ or US-6725243-\$).did.	US-PGPUB; USPAT	OR	ON	2009/03/03 10:58
S50	12	S48 and (sav\$4 stor\$5 updat\$4 replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 10:59
S51	13	S48 and (sav\$4 stor\$5 updat\$4 replac\$4 histor\$4 stat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:00
S52	8	S48 and ((sav\$4 stor\$5 updat\$4 replac\$4 histor\$4 stat\$5) same (flag\$4 mark\$4 tag\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 11:30
S53	82	("709"/\$ "707"/\$).ccls. and (measur\$5 with performanc\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp\$4 chang\$4 updat\$4) with (table list listing database)) and ((flag\$4 tag\$4 mark\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (old new obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/03 11:35

EAST Search History

S54	57	("709"/\$ "707"/\$).ccls. and (measur\$5 with performanc\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp\$4 chang\$4 updat\$4) with (table list listing database)) and ((flag\$4 tag\$4 mark\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (old new obsolete changed (up near2 date) "up-to-date"))) and histor\$5	US-PGPUB; USPAT	OR	ON	2009/03/03 11:42
S55	83	("709"/\$ "707"/\$).ccls. and (measur\$5 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 code) with (table list listing database)) and ((flag\$4 tag\$4 mark\$4) with (measur\$5 value character\$5 record data code) with (old new obsolete changed (up near2 date) "up-to-date"))) and (histor\$5 with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/03 12:40
S57	471	(measur\$5 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 code) with (table list listing database)) and ((flag\$4 tag\$4 mark\$4) with (measur\$5 value character\$5 record data code) with (old new obsolete changed (up near2 date) "up-to-date"))) and (histor\$5 with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/03 12:41
S56	59	S55 not S54	US-PGPUB; USPAT	OR	ON	2009/03/03 12:41
S59	66	("709"/\$ "707"/\$).ccls. and (monitor\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 code) with (table list listing database)) and ((flag\$4 tag\$4 mark\$4) near5 (measur\$5 value character\$5 record data code) near5 (old new obsolete changed (up near2 date) "up-to-date"))) and (histor\$5 with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/03 13:17

EAST Search History

S58	148	("709"/\$ "707"/\$).ccls. and (monitor\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 code) with (table list listing database)) and ((flag\$4 tag\$4 mark\$4) with (measur\$5 value character\$5 record data code) with (old new obsolete changed (up near2 date) "up-to-date"))) and (histor\$5 with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/03 13:17
S61	73	S58 not S55	US-PGPUB; USPAT	OR	ON	2009/03/03 13:19
S60	39	S59 not S55	US-PGPUB; USPAT	OR	ON	2009/03/03 13:19
S62	733	(measur\$5 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 code) with (table list listing database)) and ((flag\$4 field tag\$4 mark\$4) with (measur\$5 value character\$5 record data code) with (old new obsolete changed (up near2 date) "up-to-date") with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/04 16:13
S63	298	(measur\$5 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 code) with (table list listing database)) and ((flag\$4 field tag\$4 mark\$4) near5 (measur\$5 value character\$5 record data code) near5 (old new obsolete changed (up near2 date) "up-to-date") with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/05 11:30
S65	7	S64 and ((first reference) near4 database)	US-PGPUB; USPAT	OR	ON	2009/03/09 11:23

EAST Search History

S64	22	(US-20050132031-\$ or US-20080235372-\$ or US-20050289065-\$ or US-20050283445-\$ or US-20040199793-\$ or US-20030172064-\$ or US-20020091836-\$ or US-20040117358-\$ or US-20020124011-\$ or US-20020107861-\$ or US-20020091712-\$).did. or (US-7426738-\$ or US-7315826-\$ or US-7024431-\$ or US-7292537-\$ or US-7076547-\$ or US-7222190-\$ or US-6725243-\$ or US-7136645-\$ or US-6581069-\$ or US-7487155-\$ or US-7107285-\$).did.	US-PGPUB; USPAT	OR	ON	2009/03/09 11:23
S66	77	("709"/\$ "707"/\$).ccls. and (measur\$5 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 code) with (table list listing database)) and ((flag\$4 field tag\$4 mark\$4) near5 (measur\$5 value character\$5 record data code) near5 (old new obsolete changed (up near2 date) "up-to-date") with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/09 11:32
S68	77	("709"/\$ "707"/\$).ccls. and (measur\$5 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 code) with (table list listing database)) and ((flag\$4 field tag\$4 mark\$4) near5 (measur\$5 value character\$5 record data code) near5 (old new obsolete changed (up near2 date) "up-to-date") with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/09 15:21
S67	298	(measur\$5 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 code) with (table list listing database)) and ((flag\$4 field tag\$4 mark\$4) near5 (measur\$5 value character\$5 record data code) near5 (old new obsolete changed (up near2 date) "up-to-date") with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/09 15:21

EAST Search History

S70	51	S69 not ("709"/\$ "707"/\$).ccls.	US-PGPUB; USPAT	OR	ON	2009/03/09 15:25
S69	72	(measur\$5 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 code) with (table list listing database)) and ((flag\$4 field tag\$4 mark\$4) near5 (measur\$5 value character\$5 record data code) near5 (old obsolete changed (up near2 date) "up-to-date") with (table list listing database))	US-PGPUB; USPAT	OR	ON	2009/03/09 15:25
S71	32	(US-20050132031-\$ or US-20080235372-\$ or US-20050289065-\$ or US-20050283445-\$ or US-20040199793-\$ or US-20030172064-\$ or US-20020091836-\$ or US-20040117358-\$ or US-20020124011-\$ or US-20020107861-\$ or US-20020091712-\$ or US-20080196108-\$ or US-20070208805-\$ or US-20060100957-\$ or US-20040193480-\$).did. or (US-7426738-\$ or US-7315826-\$ or US-7024431-\$ or US-7292537-\$ or US-7076547-\$ or US-7222190-\$ or US-6725243-\$ or US-7136645-\$ or US-6581069-\$ or US-7487155-\$ or US-7107285-\$ or US-7143339-\$ or US-6993582-\$ or US-6738798-\$ or US-6643698-\$ or US-6393578-\$ or US-5134574-\$).did.	US-PGPUB; USPAT	OR	ON	2009/03/09 16:25
S72	20	S71 and ((table list listing database) with (old obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/09 16:26
S73	29	S71 and ((table list listing database) with (old new obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/09 16:34
S74	591	(measur\$4 with (qos (quality near3 service))) and ((table list listing database) with (old new obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:26

EAST Search History

S77	33	(measur\$4 with (qos (quality near3 service))) and (measur\$4 with (table list listing database) with (old new obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:27
S76	6	(measur\$4 with (qos (quality near3 service))) and (measur\$4 with (table list listing database) with (old obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:27
S75	178	(measur\$4 with (qos (quality near3 service))) and ((table list listing database) with (old obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:27
S79	189	S78 not S77	US-PGPUB; USPAT	OR	ON	2009/03/10 15:51
S78	193	("709"/\$ "707"/\$).ccls. and (measur\$4 with (qos (quality near3 service))) and ((table list listing database) with (old new obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:51
S80	153	("709"/\$ "707"/\$).ccls. and (measur\$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur\$5 data information parameter field) with (old new obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:54
S82	164	("709"/\$ "707"/\$).ccls. and (measur\$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur\$5 data information parameter field) with (old obsolete changed updat\$4 (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:55
S81	62	("709"/\$ "707"/\$).ccls. and (measur\$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur\$5 data information parameter field) with (old obsolete changed (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:55
S83	192	("709"/\$ "707"/\$).ccls. and (measur\$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur\$5 data information parameter field) with (old new obsolete changed updat\$4 (up near2 date) "up-to-date"))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:58

EAST Search History

S85	161	("709"/\$ "707"/\$).ccls. and (measur\$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur\$5 data information parameter field) with (old obsolete changed updat\$4 (up near2 date) "up-to-date")))) and ((measur\$5 data information parameter field) with (new updat\$4))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:59
S84	189	("709"/\$ "707"/\$).ccls. and (measur\$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur\$5 data information parameter field) with (old new obsolete changed updat\$4 (up near2 date) "up-to-date")))) and ((measur\$5 data information parameter field) with (new updat\$4))	US-PGPUB; USPAT	OR	ON	2009/03/10 15:59
S87	58	(measur\$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur\$5 data information parameter field) with (new updat\$4 obsolete changed updat\$4 (up near2 date) "up-to-date")))) and ((measur\$5 data information parameter field) with (older oldest))	US-PGPUB; USPAT	OR	ON	2009/03/10 17:17
S86	21	("709"/\$ "707"/\$).ccls. and (measur\$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur\$5 data information parameter field) with (new updat\$4 obsolete changed updat\$4 (up near2 date) "up-to-date")))) and ((measur\$5 data information parameter field) with (older oldest))	US-PGPUB; USPAT	OR	ON	2009/03/10 17:17
S88	37	S87 not S85	US-PGPUB; USPAT	OR	ON	2009/03/10 17:18
L1	80	709/223,224.ccls. and (measur\$4 with (qos (quality near3 service))) and ((table list listing database) same ((measur\$5 data information parameter field) with (old new obsolete changed updat\$4 (up near2 date) "up-to-date")))) and ((measur\$5 data information parameter field) with (new updat\$4))	US-PGPUB; USPAT	OR	ON	2009/03/11 14:26